3C.352-E

Issue 5.1 - 2016

# IP37 and IP37/BS Sight Glasses

### **Description**

The IP37 is a cast iron double window sight glass with flanged connections. Used for the controlling the functioning of steam traps and for non-aggressive liquid circuits in general.

This product fully complies with the requirements of the European Pressure Equipment Directive 97/23/EC and carries the C€ mark when so required.

#### Certifications

The IP37 sight glasses are available on request with standard material certificate EN 10204 2.2 for body and cover.

Note: all certification/inspection requirements must be stated at the time of order placement.

#### Versions

- IP37 execution with tempered calcium properties execution with borosilicate glass execution with tempered calcium sodium glass

### Connection layout: in line horizontal/vertical

#### **Connections**


Flanged EN 1092 PN16 DN15, 20, 25, 32, 40, 50, 65, 80 and 100


### Pressure/temperature limits


Body o	design conditions			PN16
PMA -	Maximum	Calcium sodium glass	@ 120°C	16 bar g
	Maximum allowable pressure	Borosilicate glass	@ 250°C	11.2 bar g
TMA -	Maximum	Calcium sodium glass	16 bar g	@ 120°C
	Maximum allowable temperature	Borosilicate glass	11.2 bar g	@ 250°C
Minimu	um allowable temperature			0°C
PMO -	Maximum	Calcium sodium glass	@ 120°C	16 bar g
	operating pressure	Borosilicate glass	@ 120°C	16 bar g
	Maximum operating pressure for	Calcium sodium glass		1 bar g
	saturated steam service	Borosilicate glass		11 bar g
TMO -	Maximum	Calcium sodium glass	16 bar g	@ 120°C
	Maximum operating temperature	Borosilicate glass	11 bar g	@ 250°C
	um operating temperature, er temperatures contact Sp	oirax Sarco		5°C
Desigr	ned for maximum cold hydra	aulic test pressure of		24 bar g
PTMX - Maximum test pressure (steam service)		Calcium sodium glass		1 bar g
		Borosilicate glass		11 bar g

## Diagram of pressure - temperature


Model IP37 with calcium sodium glass







#### Model IP37/BS with borosilicate glass



The product must not be used in this region

\* PMO Maximum operating pressure recommended for steam service, equal to the maximum back-pressure of the condensate line.


Note: in application with steam traps, the sight glass is installed downstream the traps, therefore the operating pressure and temperature that must be considered for the sizing are the ones of the condensate line and not the ones of the stream line.


#### Materials

No	. Part	Material			
1	Body DN	15-40	Cast iron	ΕN	N-GJL-250
		20-25-32-50-65-80-100	Cast iron	ΕN	N-GJL-200
2	Cover DN	15-20-25-32-40-50	Cast iron	E١	N-GJL-250
		65-80-100	Cast iron	ΕN	N-GJL-200
3	Window	for IP37	Calcium sodium		
		for IP37/BS	Borosilica	te	DIN 7080
4	Gaskets	for calciulm sodium glass	Fasit 205		
		for borosilicate glass	Fasit 400		
5	Cover screw		C steel		Class 8.8
	Cover nut		C steel		Class 6.5

#### Dimensions / weights (approximate) in mm and kg

DN	A	В	С	Weight	
15	130	95	105	3.0	
20	150	105	106	3.5	
25	160	115	110	4.0	
32	180	140	132	6.0	
40	200	150	140	6.5	
50	230	165	150	9.0	
65	290	185	190	17.0	
80	310	200	210	18.0	
100	350	220	245	23.0	





Sizes DN65, 80 and 100 are made with 6 and not 4 locking bolts.

#### How to order

Spirax Sarco IP37 sight galsses with cast iron bodies and interchangeable calcium sodium or borosilicate (IP37/BS) window; flanged connections EN 1092 PN16 DN50.

# Safety information, installation and mainte-

For full details, see the installation and maintenance instructions 3.746.5275.100 (IM-S32-04) supplied with the product.

Under certain conditions, corrosive elements in condensate can affect the inside face of the window, particularly where caustic alkali and hydrofluoric acid are present. It is recommended that the sight glass is periodically checked for thinning of the window. If there is evidence of erosion or thinning, then the window should be replaced immediately. Always wear eye protection when viewing the function indicators.

Reasonable steps should be taken during installation to protect personnel from injury in the unlikely event that the window breaks.

#### Installation and maintenance note:

Sight glasses should have stop valves fitted on both the inlet and outlet. It is imperative that the upstream stop valve is closed first in order to prevent overpressurisation.

Sight glasses can be fitted in either a horizontal or vertical line on the outlet side of a steam trap. Where the trap is a blast discharge type e.g. thermodynamic, the sight glass must be fitted at least 1 m from the trap. This is to ensure that the glass is not subjected to thermal or pressure shocks.

Ensure access is available for maintenance purposes.

If the glass gaskets are lost as soon as fitting is carried out, quickly and progressively tighten nuts and bolts in a cross-pattern.

The product is recyclable. No ecological hazard is anticipated with disposal of this product providing due care is taken.

#### Spare parts

Spare parts are available according to the groups in the table. No other item is available as a spare part.

#### Available spares

Packs of 6 glasses and 12 gaskets for DN15, 20, 25, 32 and 40 Packs of 4 glasses and 8 gaskets for DN50, 65 and 80 Packs of 2 glasses and 4 gaskets for DN100

## How to order spares

Always order spares using the description provided in the column and state the sight glass model, the type of glass and the diameter of the connections

**Example:** 1 pack of borosilicate glasses and gaskets for sight glass Spirax Sarco IP37/BS DN25.

### Recommended tightening torques

Item	Quantity	DN		o mm	N m
	8	15 - 25	13	M8 x 40	5 - 7
	8	32 - 40	17	M10 x 45	5 - 7
5	8	50	17	M10 x 50	5 - 7
	12	65 - 80	19	M12 x 65	10 - 12
	12	100	19	M12 x 75	10 - 12